

	Contaminant	Results	Units	National Standards		Min. Detection Level
Inorganic Analytes - Metals						
✓	Aluminum	ND	mg/L	0.2	EPA Secondary	0.1
✓	Arsenic	ND	mg/L	0.010	EPA Primary	0.005
✓	Barium	ND	mg/L	2	EPA Primary	0.30
✓	Cadmium	ND	mg/L	0.005	EPA Primary	0.002
✓	Calcium	ND	mg/L	--		2.0
✓	Chromium	ND	mg/L	0.1	EPA Primary	0.010
✓	Copper	ND	mg/L	1.3	EPA Action Level	0.004
✓	Iron	ND	mg/L	0.3	EPA Secondary	0.020
✓	Lead	ND	mg/L	0.015	EPA Action Level	0.002
✓	Lithium	ND	mg/L	--		0.001
✓	Magnesium	ND	mg/L	--		0.10
✓	Manganese	ND	mg/L	0.05	EPA Secondary	0.004
✓	Mercury	ND	mg/L	0.002	EPA Primary	0.001
✓	Nickel	ND	mg/L	--		0.020
●	Potassium	1.1	mg/L	--		1.0
✓	Selenium	ND	mg/L	0.05	EPA Primary	0.020
●	Silica	8.7	mg/L	--		0.1
✓	Silver	ND	mg/L	0.100	EPA Secondary	0.002
●	Sodium	168	mg/L	--		1
✓	Strontium	ND	mg/L	--		0.001
✓	Uranium	ND	mg/L	0.030	EPA Primary	0.001
✓	Zinc	ND	mg/L	5	EPA Secondary	0.004
Physical Factors						
●	Alkalinity (Total as CaCO3)	220	mg/L	--		20
✓	Hardness	ND	mg/L	100	NTL Internal	10
✓	pH	7.7	pH Units	6.5 to 8.5	EPA Secondary	
●	Total Dissolved Solids	420	mg/L	500	EPA Secondary	20

Contaminant	Results	Units	National Standards		Min. Detection Level
Turbidity	ND	NTU	1.0	EPA Action Level	0.1
Inorganic Analytes - Other					
✓ Bromide	ND	mg/L	--		0.5
● Chloride	77.0	mg/L	250	EPA Secondary	5.0
✓ Fluoride	ND	mg/L	4.0	EPA Primary	0.5
● Nitrate as N	6.5	mg/L	10	EPA Primary	0.5
✓ Nitrite as N	ND	mg/L	1	EPA Primary	0.5
✓ Ortho Phosphate	ND	mg/L	--		2.0
● Sulfate	22.0	mg/L	250	EPA Secondary	5.0

*We certify that the analyses performed for this report are accurate, and that the laboratory tests were conducted by methods approved by the U.S. Environmental Protection Agency or variations of these EPA methods.*

*These test results are intended to be used for informational purposes only and may not be used for regulatory compliance.*

***National Testing Laboratories, Ltd.***

NATIONAL TESTING LABORATORIES, LTD