



Inorganics							
Sample ID	Sample Location	Contaminant	Result	Units	MDL	MCL	Condition
P0915-548	WELL AT FIRST FAUCET BEFORE PRESSURE TANK						

Bromide	ND	mg/L	4	4	●
Chloride	2.32	mg/L	2.0	250	▼
Fluoride	0.037	mg/L	0.02	4	▼
Nitrate/Nitrite-N	0.101	mg/L	0.05	10	▼
Orthophosphate	0.120	mg/L	0.01	--	▼
Sulfate	ND	mg/L	1.0	250	●

Metals-Liquid							
Sample ID	Sample Location	Contaminant	Result	Units	MDL	MCL	Condition
P0915-548	WELL AT FIRST FAUCET BEFORE PRESSURE TANK						

Aluminum	0.038	mg/L	0.016	0.2	▼
Antimony	ND	mg/L	0.006	0.006	●
Arsenic	ND	mg/L	0.003	0.010	●
Barium	ND	mg/L	0.08	2	●
Beryllium	ND	mg/L	0.004	0.004	●
Cadmium	0.001	mg/L	0.0003	0.005	▼
Calcium	12.8	mg/L	0.2	--	▼
Chromium	0.001	mg/L	0.001	0.1	▼
Copper	ND	mg/L	0.002	1.3	●
Iron	10.8	mg/L	0.005	0.3	●
Lead	ND	mg/L	0.006	0.015	●
Magnesium	5.44	mg/L	0.5	--	▼
Manganese	0.282	mg/L	0.003	0.05	●
Nickel	ND	mg/L	0.001	--	●
Selenium	ND	mg/L	0.005	0.05	●
Silica	48.0	mg/L	0.15	--	▼
Silicon	22.4	mg/L	0.07	--	▼
Sodium	4.82	mg/L	0.5	--	▼
Thallium	ND	mg/L	0.002	0.002	●
Zinc	0.016	mg/L	0.001	5.0	▼



# EnviroTestKits<sup>TM</sup>

*Our Science. Your Peace of Mind.*

## Laboratory Analysis

Analysis Performed by an  
EPA/State-Certified Lab:  
Environmental Laboratories, Inc.  
635 Green Rd.  
Madison, IN 47250  
888-932-6699

### Physical Properties

Sample ID	Sample Location	Contaminant	Result	Units	MDL	MCL	Condition
P0915-548	WELL AT FIRST FAUCET BEFORE PRESSURE TANK						
		Hardness as CaCO <sub>3</sub>	54.4	mg/L	1.0	180	▼
		pH	6.6	S.U.	0.1	8.5	●
		Tannin-Lignin	ND	mg/LTannic Acid	1	--	●
		TDS	79.9	mg/L	20.0	500.0	▼
		Total Residual Chlorine	0.250	mg/L	0.1	--	▼
		Turbidity	20.6	NTU	0.1	--	▼