

**CLIENT INFORMATION**

**Client:** \*\*\*\*\*  
**Requested On:** Nov 25, 2023  
**Phone:** \*\*\*\*\*  
**Email:** \*\*\*\*\*

**hello@gosimplelab.com**

Route 130 North  
Cinnaminson, New Jersey

**TESTING PERFORMED**

**Testing Requested:** Full Radiation Water Test  
**Matrix:** Drinking Water  
**Testing / Report ID:** D8UT8P

**SAMPLE INFORMATION**

**Collection Date:** Dec 4, 2023  
**Collected By:** \*\*\*\*\*  
**Received Date:** Dec 8, 2023  
**Reported On:** Dec 26, 2023  
**Sample Location:** Kitchen Sink  
**Sample Address:** \*\*\*\*\*

**TESTING NOTES**

There were no problems with analytical events associated with this report unless noted. Quality control data is within laboratory defined or method specified acceptance limits except where noted. If you have any questions regarding these test results, please contact [hello@gosimplelab.com](mailto:hello@gosimplelab.com)

**TEST RESULTS**

<b>ANALYTE</b>	<b>UNIT</b>	<b>RESULT</b>	<b>MDL</b>	<b>METHOD</b>	<b>EVALUATION</b>
Gross Alpha Activity	pCi/L	<b>37.9</b>	2.931	EPA 900.0	> HGL (0)
Gross Beta Activity	pCi/L	<b>33.6</b>	0.929	EPA 900.0	> HGL (0)

**How To Read Your SimpleLab PDF Report**

Your results are being evaluated with the Health Guidance Level.

This is a health protective, non-enforceable drinking water benchmark. HGL is based on the most protective human health benchmark used among public health agencies for a contaminant. Drinking water at or near the HGL over the course of your lifetime is thought to be safe.

**MDL:** Method Detection Limit. MDL is the lowest concentration of an analyte which testing instrumentation and the analysis team is configured to measure.

### **How To Read Your SimpleLab PDF Report**

*Your results are being evaluated with the Simple Lab Recommendation.*

*This is a health protective, non-enforceable drinking water benchmark. SLR is based on the most protective human health benchmark used among public health agencies for a contaminant. Drinking water at or near the SLR over the course of your lifetime is thought to be safe.*

*MQL: Method Detection Limit. MDL is the lowest concentration of an analyte which testing instrumentation and the analysis team configured to measure.*



## **Did you know?**

This Tap Score report is easier to understand when viewed online. Access in-depth information about every detection, including health risks and treatment solutions.

[gosimplelab.com/signin](https://gosimplelab.com/signin)